


Bike-Lift®



Bike-Lift

News 2017

Back on Track!



Racing 350

model 2017

Caratteristiche Tecniche

Portata Massima	350 kg
Altezza Massima	120 cm
Altezza Minima	19 cm
Posizioni di Sicurezza	8
Dimensioni Pianale	200x60cm
Dimensioni Ali Laterali	200x12 cm
Ingombro Totale Pianale	200x84 cm
Dimensioni Rampa di Salita	62x44.5 cm
Ingombro Totale	210x84 cm
Peso	165 kg

Technical Features

Maximum Load Capacity	350 kg / 771 Lbs
Maximum Height	120 cm / 4 Ft
Minimum Height	19 cm / 7.4 Inch.
Safety Lock Positions	8
Tabletop size	200x60cm/6.5 x 2 Ft
Side Tool Wings Dimensions	200x12 cm /6.5Ft x 2.7 Inch.
Tabletop Overall Dimensions	200x84 cm /6.5 x 2.7 Ft
Run-Up Ramp size	62x44.5 cm /2 x 1.4 Ft
Overall Dimensions	210x84 cm /6.8 x 2.7 Ft
Weight	165 kg / 362 Lbs





Technical Features

Maximum Load Capacity	500 kg / 1102 Lbs
Maximum Height	120 cm / 4 Ft
Minimum Height	19 cm / 7.4 Inch.
Safety Lock Positions	8
Tabletop size	210x60cm/6.8 x 2 Ft
Side Tool Wings Dimensions	210x12 cm /6.8Ft x 2.7 Inch.
Drop down Gate panel dim.	60x36 cm /23Ft x 14 Inch.
Tabletop Overall Dimensions	210x84 cm /6.8 x 2.7 Ft
Run-Up Ramp size	62x44.5 cm /2 x 1.4 Ft
Overall Dimensions	220x84 cm /7.2 x 2.7 Ft
Weight	215 kg / 474 Lbs



Sport Gate 500 model 2017

Caratteristiche Tecniche

Portata Massima	500 kg
Altezza Massima	120 cm
Altezza Minima	19 cm
Posizioni di Sicurezza	8
Dimensioni Planale	210x60 cm
Dimensioni Ali Laterali	210x12 cm
Dimensioni Sportello Gate	60x36 cm
Ingombro Totale Planale	210x84 cm
Dimensioni Rampa di Salita	62x44.5 cm
Ingombro Totale	220x84 cm
Peso	215 kg





Distributed in Europe by Bike-Lift Europe srl

POWER LIFT



Distributore per l' Europa Bike-Lift Europe srl

Distributore per l' Europa Bike-Lift Europe srl
Distributed in Europe by Bike-Lift Europe srl

IL MINI-SOLLEVATORE ELETTRICO PER MOTOCROSS



CARATTERISTICHE PRINCIPALI

- Fornito di maniglia di trasporto integrata sul pianale
- Azionamento tramite batteria Ion-Litio ricaricabile in 1 ora (alimentatore incluso)
- Operatività di oltre 100 sollevamenti/discese per ogni carica
- Capacità massima di sollevamento 198 kg
- Pulsanti di azionamento integrati con sicurezza tramite chiave di blocco
- Basamento che si adatta ad ogni superficie
- Nessuna necessità di sollevare a mano la moto
- Manutenzione semplificata delle 4 guarnizioni auto-lubrificanti in Teflon
- Peso ultraleggero di 8,5 kg

MAIN FEATURES

- Built-in transport handle on lifting pad
- Durable Ion-Lithium inner battery rechargeable in 1 hour (charger included)
- Over 100 lifts per charge
- Maximum lifting capacity 440 Lbs / 198 kg
- Activation by embedded foot pedals. Security key (lift locked up or down by removing the key.)
- Base design to fit any concrete or dirt ground
- No need of lifting the bike by hand
- Easy maintenance of the 4 self-lubricating Teflon bushing
- Ultra-light weight of only 19 Lbs / 8,5 kg

THE ELECTRIC MINI-LIFT FOR MOTOCROSS BIKES

Step 1



Step 2



Step 3



Step 4



Racing

IN COOPERATION WITH

aprilia racing

TEAM GREVINI



XXI

THE CENTURY STAND

*Full
Aluminium*



Bike-Lift[®]

SCRAMBLER

Stand





MODOFLEX

Produced by **Bike-Lift®**





MODOFLEX

Produced by **Bike-Lift®**





Bike Lift Europe Srl

*Via Don Milani 40/42
43012 Sanguinaro di Fontanellato (PR) Italy
Tel. +39.0521.827091
Fax +39.0521.827064
info@bikelifteurope.it
www.bikelifteurope.it*